

Dialogannahme


# CAR BRAKE TESTERS

Version 2023.10.05 – Prices on request

## Suspension tester SA 640 | 400 V | EUSAMA

*Special accessory for series BD 4xxx brake tester | only to be used for checking the technical condition of suspension elements*

**Article number: 1 691 620 307**



- Under unfavorable conditions, the road surface adhesion of a wheel is governed by the technical condition of the suspension elements (suspension system, wheel bearings, tires and shock absorbers).
- The SA 640 measures the relative road surface adhesion of a wheel on the basis of the internationally recognized EUSAMA principle.
- The results of the full chassis test provide an overall assessment of the road safety of the vehicle.
- Measurement system: Bending bar with strain gauge


### **Scope of delivery:**

- Suspension tester SA 640
- RR Connecting cable
- RR Set of clamping fixtures and fastening materials

## Suspension tester SA 640 | 230 V | EUSAMA

*Special accessory for series BD 4xxx brake tester | only to be used for checking the technical condition of suspension elements*

**Article number: 1 691 620 311**



- Under unfavorable conditions, the road surface adhesion of a wheel is governed by the technical condition of the suspension elements (suspension system, wheel bearings, tires and shock absorbers).
- The SA 640 measures the relative road surface adhesion of a wheel on the basis of the internationally recognized EUSAMA principle.
- The results of the full chassis test provide an overall assessment of the road safety of the vehicle.
- Measurement system: Bending bar with strain gauge


### **Scope of delivery:**

- Suspension tester SA 640
- RR Connecting cable
- RR Set of clamping fixtures and fastening materials

## Suspension tester SN 680 | 400 V | EUSAMA | with noise detection

*Special accessory for series BD 4xxx brake tester | only to be used for checking the technical condition of suspension elements*

**Article number: 1 691 620 309**



- Under unfavorable conditions, the road surface adhesion of a wheel is governed by the technical condition of the suspension elements (suspension system, wheel bearings, tires and shock absorbers).
- The SN 680 measures the relative road surface adhesion of a wheel on the basis of the internationally recognized EUSAMA principle.
- The results of the full chassis test provide an overall assessment of the road safety of the vehicle.
- Measurement system: Bending bar with strain gauge


### **Scope of delivery:**

- Suspension tester SN 680
- RR Connecting cable
- RR Set of clamping fixtures and fastening materials

## Suspension tester SN 680 | 230 V | EUSAMA | with noise detection

*Special accessory for series BD 4xxx brake tester | only to be used for checking the technical condition of suspension elements*

**Article number: 1 691 620 308**



- Under unfavorable conditions, the road surface adhesion of a wheel is governed by the technical condition of the suspension elements (suspension system, wheel bearings, tires and shock absorbers).
- The SN 680 measures the relative road surface adhesion of a wheel on the basis of the internationally recognized EUSAMA principle.
- The results of the full chassis test provide an overall assessment of the road safety of the vehicle.
- Measurement system: Bending bar with strain gauge


### **Scope of delivery:**

- Suspension tester SN 680
- RR Connecting cable
- RR Set of clamping fixtures and fastening materials

## Suspension tester SAT 690 | THETA | 230V

*Special accessory for series BD 4xxx brake testers*

**Article number: 1 692 106 690**




- Through the SAT 690 it is possible to quickly and unambiguously check and assess axle damping, because this is tester determines axle damping on a physical basis.
- Operation of the SAT 690 is based on the resonance method and it analyses at the resonant frequency the amount of energy present in the vibrating system (wheels, axle and body).
- Through a further physical assessment the dimension-less Lehr's damping factor also known as damping ratio "D" can be determined.
- This measurement principle is considered as being highly accurate and this has been confirmed already several times through comprehensive surveys and comparative tests.

## Suspension tester SAT 695 | THETA | with noise detection | 230V

*Special accessory for series BD 4xxx brake testers*

**Article number: 1 692 106 695**




- Through the SAT 695 it is possible to quickly and unambiguously check and assess axle damping, because this tester determines axle damping on a physical basis.
- Operation of the SAT 695 is based on the resonance method and it analyses at the resonant frequency the amount of energy present in the vibrating system (wheels, axle and body).
- Through a further physical assessment the dimension-less Lehr's damping factor also known as damping ratio "D" can be determined.
- This measurement principle is considered as being highly accurate and this has been confirmed already several times through comprehensive surveys and comparative tests.

## Joint play detector GST 651 | 400 V

*To detect defects and wear in the suspension systems of double-track vehicles | up to 4 t axle load*

**Article number: 1 691 650 000**



- The geometry of the axle to be tested is displaced by moving the test plates of the GST 6xx. This makes it possible to detect impermissible play at joints and wheel bearings or to localise cracks at stub axles for example.
- The GST 651 is only to be used for the inspection of double-track vehicles with a maximum axle load of 4000 kg.
- Remote control over control lamp with control buttons (Ø 60 mm, length 205 mm, incl. Halogen bulb with reflector, GU5,3 / 38°, 12 V / 20 W)

### Scope of delivery:


- Test plates (2x)
- Control module incl. control lamp
- Hydraulic unit
- Hydraulic line fitting set
- Fitting set
- Hydraulic fluid (Type of fluid DIN 51524 VG 22)



## Joint play detector GST 651 | 230 V

To detect defects and wear in the suspension systems of double-track vehicles | up to 4 t axle load

**Article number: 1 691 650 001**



- The geometry of the axle to be tested is displaced by moving the test plates of the GST 6xx. This makes it possible to detect impermissible play at joints and wheel bearings or to localise cracks at stub axles for example.
- The GST 651 is only to be used for the inspection of double-track vehicles with a maximum axle load of 4000 kg.
- Remote control over control lamp with control buttons (Ø 60 mm, length 205 mm, incl. Halogen bulb with reflector, GU5,3 / 38°, 12 V / 20 W)

### Scope of delivery:

- Test plates (2x)
- Control module incl. control lamp
- Hydraulic unit
- Hydraulic line fitting set
- Fitting set
- Hydraulic fluid (Type of fluid DIN 51524 VG 22)

## Suspension tester SA 650 | Passenger cars | 13t drive-over load | EUSAMA | 400V

Special accessory for series BD 5xxx and BD 8xxx brake tester | for checking the technical condition of suspension elements on passenger cars in a truck test lane

**Article number: 1 691 620 501**



### Scope of delivery:

- Suspension tester
- Power supply cable
- Fastening materials

Note: For pit installations, the maximum possible test width is 2400mm.

## Car brake tester BD 4681

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | Analog display | elektromagnetic brake, 4x4, Roller width 1000 mm | Extension possibility to test lanes | New! Power-Box inclusive!

Article number: 1 691 600 878



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen
- Job processing, customer database, statistic evaluation or

print and archiving functions can be used to full extent

- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4131

Maximum test weight/axle 2.5 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive!

Article number: 1 691 600 644



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4131 S10

Maximum test weight/axle 2.5 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive! | 230 V / 50 Hz

Article number: 1 691 600 646



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4431

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive!

Article number: 1 691 600 852



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4431 S10

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive! | 230 V / 50 Hz

Article number: 1 691 600 897



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4431 S20

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 700 mm | Extension possibility to test lanes | New! Power-Box inclusive! | Spike rollers

Article number: 1 691 600 854



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966



## Car brake tester BD 4481

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 1000 mm | Extension possibility to test lanes | New! Power-Box inclusive!

Article number: 1 691 600 868



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Car brake tester BD 4481 S20

Maximum test weight/axle 4.0 t, Test Speed 5.2 km/h, Speed sensors | without Analog display, flexible solution via customer PC (PC Kit is needed) | elektromagnetic brake, 4x4, Roller width 1000 mm | Extension possibility to test lanes | New! Power-Box inclusive! | Spike Rollers

Article number: 1 691 600 682



### New! Power-Box for the BD car series

BD car brake testers comply with the guideline and are thus suitable for general vehicle inspections. At the same time, there are modular auxiliaries for diagnoses as well as repair and service tasks at the workshop. Absolutely in line with specific customer requirements, the brake tester can be expanded and turned into a test lane for suspension testing and side slip testing. Operation, visualization and evaluation of the test results are made by means of an analogue display or via PC.

### Just use the workshop computer

- The new kits allow additional connectivity options for the BD series. The integrated PC kit is designed for its installation inside the new Power-Box and allows direct linkage to the workshop PC.

### More service, more customers

In order to ease and speed up the brake service, the BD car series and the new Bosch Power-Box can be complemented by powerful accessories:

- Column for the Power-Box
- PC trolley
- LCD display set for the display unit
- Professional IR PC kits (integrated or external)
- Pedal-force sensor (wireless version)
- Roller covers
- IR remote control

### Access to multiple functions by means of a linked workshop PC

- Visualization of test procedures and results via screen

- Job processing, customer database, statistic evaluation or print and archiving functions can be used to full extent
- Test protocols are printed automatically
- Quick extension and conversion into a test lane is possible
- Analogue display is not required

### Power-Box for the BD car series

- Compact, robust and service-friendly
- All electronics are compact and safety stowed
- Easily accessible on the wall or on column
- All electronic components are safely stored within a light-weight and easily accessible housing
- 230 V socket for the laptop of the service-technician or tester
- Easily accessible main switch with emergency shutdown
- Integrated door pocket for the technical documentation
- Wall mount (series version) or column (optional)

### Four possibilities for PC connections

To operate with PC, one of the following kits is needed

- Integrated ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 964
- External ICperform PC-Kit (incl. ICperform Software license and Tablet app license), part No. 1 691 601 965
- Integrated ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 963
- External ICperform PC-Kit with Remote Control (incl. ICperform Software license), part No. 1 691 601 966

## Series BD 4xxx - PC ready



**Car brake tester BD 4131**  
Article number: 1 691 600 644



**Car brake tester BD 4131 S10**  
Article number: 1 691 600 646



**Car brake tester BD 4431**  
Article number: 1 691 600 852



**Car brake tester BD 4431 S10**  
Article number: 1 691 600 897



**Car brake tester BD 4431 S20**  
Article number: 1 691 600 854



**Car brake tester BD 4481**  
Article number: 1 691 600 868




**Car brake tester BD 4481 S20**  
Article number: 1 691 600 682

## Series BD 4xxx - with display



**Car brake tester BD 4681**  
Article number: 1 691 600 878

## Upgrade to Test Lane



**Side Slip Tester ST 600**  
Article number: 1 691 631 013



**Suspension tester SA 640 | 400 V | EUSAMA**  
Article number: 1 691 620 307



**Suspension tester SA 640 | 230 V | EUSAMA**  
Article number: 1 691 620 311



**Suspension tester SN 680 | 400 V | EUSAMA  
| with noise detection**  
Article number: 1 691 620 309




**Suspension tester SN 680 | 230 V | EUSAMA  
| with noise detection**  
Article number: 1 691 620 308




**Suspension tester SAT 690 | THETA | 230V**  
Article number: 1 692 106 690



**Suspension tester SAT 695 | THETA | with  
noise detection | 230V**  
Article number: 1 692 106 695



**Joint play detector GST 651 | 400 V**  
Article number: 1 691 650 000



**Joint play detector GST 651 | 230 V**  
Article number: 1 691 650 001



**Suspension tester SA 650 | Passenger cars  
| 13t drive-over load | EUSAMA | 400V**  
Article number: 1 691 620 501

# IMPORTANT NOTES

- Please notice: This list contains spare parts, too.
- Without instruction or assembly.
- Delivery ex works including packaging.

## VERSION 2023.10.05 – PRICES ON REQUEST

- Starting from now all previous lists will lose their validity.
- Please read our general terms and conditions in the latest version before ordering; to be found under [www.beissbarth.com](http://www.beissbarth.com).

**Order number** 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.

### Beissbarth Automotive Testing Solutions GmbH

Hanauer Straße 101  
80993 Munich, Germany  
[sales@beissbarth.com](mailto:sales@beissbarth.com)  
[www.beissbarth.com](http://www.beissbarth.com)

Telefon: +49-(0)89-14901-0  
Telefax: +49-(0)89-14901-246

